

**Product Name:** 1606 Type BMB

**Emergency Phone Number:** (330) 336-6616

**MATERIAL SAFETY DATA SHEET**

Goldsmith & Eggleton

**SECTION I - Product Identification**

**Product Name:** 1606 Type BMB

**Chemical Name:** SBR Black Masterbatch

**Chemical Family:** Styrene-Butadiene

**CAS Number:** NA

**This MSDS Prepared By:** Bill Sims

**Date:** April 19, 2005

**This product was formerly known as** A60060, A60140, A60170

**SECTION II - Hazardous Components**

CAS number    OSHA PEL                      ACGIH TLV                      Other

**Ingredients Defined as Hazardous by OSHA, NTP or IARC Present at >1.00%**

**carbon black \***

1333-86-4    3.5mg/m<sup>3</sup> 8hour TWA

**distilled hydrogenated hydrocarbon mixture**, predominantly C<sub>20</sub> to C<sub>50</sub> naphthenics

64742-52-5    5.0mg/m<sup>3</sup> 8hour TWA    5.0mg/m<sup>3</sup> 8hour TWA    NA

\* material is regulated by OSHA as an airborne particulate. In actual practice, the chemical is bound in the rubber matrix., and is unlikely to be released in more than trace quantities.

**Ingredients Defined as Carcinogenic by OSHA, NTP or IARC Present at >0.10%**

**none**

**Product Name:** 1606 Type BMB

**Emergency Phone Number:** (330) 336-6616

### **SECTION III - Physical/Chemical Properties**

**Boiling Point:** not applicable

**Vapor Pressure (mm Hg):** negligible

**Vapor Density (air = 1):** not applicable

**Solubility in water:** negligible

**Specific Gravity:** 1.13 (approximately)

**Melt Point:** not applicable

**Evaporation Rate (butyl acetate = 1) :** negligible

**Appearance:** black rubbery solid

**Odor:** slight rubber/petroleum odor

### **SECTION IV - Fire and Explosion Data**

**Flash Point:** not determined

**Explosion Limits:** not applicable

**LEL:** not applicable

**UEL:** not applicable

**Extinguishing media:** Carbon dioxide or foam preferred.

**Special Fire Fighting Procedures:** Positive pressure or demand-type respirators, face shields or goggles, balaclavas, coats, gloves and boots are indicated. No skin should be exposed.

**Unusual Fire and Explosion Hazards:** Material may produce thick sooty smoke while burning. Material may soften and drip or flow slowly in extreme heat, although it will not become a free-flowing liquid. Material may develop a thick ashy crust under certain conditions, which could hinder extinguishing media from reaching seat of fire if crust is not broken away.

### **SECTION V - Reactivity Data**

**Stability:** Stable

**Incompatibilities:** Strong oxidizers

**Hazardous Decomposition Products:** oxides of carbon, oxides of sulphur, some nitrogen products

**Hazardous Polymerization:** will not occur

**Conditions to Avoid:** store in cool, dry area

**Product Name:** 1606 Type BMB

**Emergency Phone Number:** (330) 336-6616

### **SECTION VI - Health Hazard Data**

**Primary Routes of Entry:**

**Inhalation:** unlikely

**Skin:** common

**Ingestion:** unlikely

**Health Hazards:**

**Acute:** contact dermatitis

**Chronic:** contact dermatitis

**Carcinogenicity:** not determined

**NTP Report?:** no

**IARC Monograph?:** no

**OSHA Regulated?:** no

**Signs or Symptoms of Exposure:** Itching or reddening of skin.

**Medical Conditions Generally Aggravated by Exposure:** Exposure to material may aggravate pre-existing dermatitis.

**Emergency First Aid Procedures:**

**Skin:** Wash with soap and water. See a doctor if irritation develops.

**Eyes:** Wash eyes with copious amounts of cool water. Prevent rubbing or wiping of eyes. Transport victim to emergency room. Have copy of this document available for medical personnel.

**Inhalation:** Material cannot be inhaled under ordinary circumstances.

### **SECTION VII - Precautions for Safe Handling and Use.**

**Steps to be taken if material is released or spilled:** Pick up spilled material. Clean and re-use spilled material or discard as deemed appropriate.

**Waste disposal method:** Dispose of unwanted material by recycling, landfilling, or other method in accordance with all applicable Federal, State and local ordinances.

**Precautions to be taken in handling and storage:** No special precautions are needed.

### **SECTION VIII - Control Measures**

**Respiration Protection:** No special precautions needed.

**Ventilation:** No special precautions needed.

**Protective Gloves:** Cotton, canvas or other work gloves

**Eye Protection:** No special precautions needed.

**Other Protective clothing or equipment:** No special precautions needed.

**Other precautions:** Avoid excessive or prolonged exposure to hydrocarbon fumes released at processing temperatures. See Section II for PEL.

**Product Name:** 1606 Type BMB

**Emergency Phone Number:** (330) 336-6616

**SECTION IX - Emergency and First Aid Procedures**

**Emergency Phone Number:** (330) 336-6616

**Ingestion of Material:** Ingestion is unlikely to occur under normal circumstances. If it should happen, transport victim to emergency room. Have copy of this document available for medical personnel.

**Fire:** Evacuate area, and call Fire Department. Have copy of this document available for Fire Department personnel.

**Product Name:** 1606 Type BMB

**Emergency Phone Number:** (330) 336-6616

## **Appendices**

### **Abbreviations**

ACGIH - American Council of Governmental Industrial Hygienists

DOT - Department of Transportation

EEC - European Economic Community

EPA - Environmental Protection Agency

IARC - International Agency for Research on Cancer

IDHL - Immediately Dangerous to Health and Life

LEL - Lower Explosive Limit

NFPA - National Fire Protection Association

NIOSH - National Institute of Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit

REL - Recommended Exposure Limit

SARA - Superfund Amendment and Reauthorization Act

STEL - Short Term Exposure Limit

TLV - Threshold Limit Value

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

UEL - Upper Explosive Limit

### **User's Responsibilities**

No MSDS, this one included, can anticipate all possible situations which the user may encounter when using this product. All aspects of your operation must be thoroughly examined to determine whether additional precautions might be necessary. All information contained in this MSDS should be made available to your employees and customers. It is the responsibility of the user to institute appropriate safety and work rules and employee instructional programs for your particular operation.

### **Disclaimer of Liability**

As the conditions or methods of use are beyond our control, we assume no responsibility and expressly disclaim any liability for any use of this material. Information contained herein is believed to be true and accurate but all statements and suggestions are made without warranty, express or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of the user.